

Bibliography of NBO Applications, 1998

Gilbert TM

Ab initio studies of pericyclic reactions of aminoboranes. [2+2] dimerization and [4+2] Diels-Alder reactions of H₂BNH₂, Me₂BNMe₂, and (F₃C)(2)BNMe₂
ORGANOMETALLICS 17 (25): 5513-5520 DEC 7 1998

Ozhegova NV, Nemukhin AV, Shabatina TI, et al.

Modeling structure and spectra of silver complexes in condensate films of polar liquid crystals
MENDELEEV COMMUN (6): 218-220 NOV 1998

Zhang YF, Wu LM, Li JQ, et al.

Ab initio study on the electronic structures and the spectra properties of the Mo₂X₄ (X = S, O) clusters
CHEM J CHINESE U 19 (10): 1659-1665 OCT 1998

Kubota K, Mori S, Nakamura M, et al.

Olefin carbometalation with (alkoxy)allylic lithium and zinc reagents. Four-centered vs six-centered mechanism of allylmetalation reaction
J AM CHEM SOC 120 (51): 13334-13341 DEC 30 1998

Prakash GKS, Reddy VP, Rasul G, et al.

The search for persistent cyclobutylmethyl cations in superacidic media and observation of the cyclobutylidicyclopropylmethyl cation
J AM CHEM SOC 120 (51): 13362-13365 DEC 30 1998

Nakata K, Fujio M, Mishima M, et al.

Ab initio MO study of benzylic cations. Part 3. Protonated benzoyl derivatives
J PHYS ORG CHEM 11 (12): 857-870 DEC 1998

van Alem K, Sudholter EJR, Zuilhof H

Quantum chemical calculations on alpha-substituted ethyl cations: A comparison between B3LYP and post-HF methods
J PHYS CHEM A 102 (52): 10860-10868 DEC 24 1998

Borrmann H, Campbell J, Dixon DA, et al.

Trigonal bipyramidal M(2)Ch(3)(2-) (M = Sn, Pb; Ch = S, Se, Te) and TlMTe33- anions: Multinuclear magnetic resonance, Raman spectroscopic, and theoretical studies, and the X-ray crystal structures of (2,2,2-crypt-K+)(3)TlPbTe33-center dot 2en and (2,2,2-crypt-K+)(2)Pb(2)Ch(3)(2-)center . . .
INORG CHEM 37 (26): 6656-6674 DEC 28 1998

Harder S

Recent developments in cyclopentadienyl-alkalimetal chemistry

COORDIN CHEM REV 176: 17-66 SEP 1998

Rulisek L, Havlas Z, Hermanek S, et al.

Regular polyhedral molecules. P-20 and its inclusion compounds

CAN J CHEM 76 (9): 1274-1279 SEP 1998

Boehme C, Frenking G

N-heterocyclic carbene, silylene, and germylene complexes of MCl (M = Cu, Ag, Au). A theoretical study

ORGANOMETALLICS 17 (26): 5801-5809 DEC 21 1998

Surjan PR, Lazar A

Hybridization effects in localized wave functions

J MOL STRUC-THEOCHEM 455 (2-3): 175-182 DEC 18 1998

Remko M

Thermodynamics of cation-base complexes L - M, where M = H+, Li+ and L is H₂O, HF, NH₃, PH₃, SiH₂, and CO

CHEM PAP-CHEM ZVESTI 52 (5): 637-642 1998

Domingo LR, Picher MT, Zaragoza RJ

Toward an understanding of the molecular mechanism of the reaction between 1-methylpyrrole and dimethyl acetylenedicarboxylate. An ab initio study

J ORG CHEM 63 (25): 9183-9189 DEC 11 1998

Anane H, Jarid A, Boutalib A, et al.

Substituent effect on ammonia-borane donor-acceptor complexes: a G2(MP2) molecular orbital study

THEOCHEM-J MOL STRUC 455 (1): 51-57 DEC 4 1998

Casey CP, Brady JT, Boller TM, et al.

Protonation of rhenium alkyne complexes produces eta(3)-allyl rhenium complexes via observable 1-metallacyclopropene intermediates

J AM CHEM SOC 120 (48): 12500-12511 DEC 9 1998

Vigalok A, Uzan O, Shimon LJW, et al.

Formation of eta(2) C-H agostic rhodium arene complexes and their relevance to electrophilic bond activation

J AM CHEM SOC 120 (48): 12539-12544 DEC 9 1998

Kroemer RT, Liedl KR, Dickinson JA, et al.

Conformationally induced changes in the electronic structures of some flexible benzenes. A molecular orbital model

J AM CHEM SOC 120 (48): 12573-12582 DEC 9 1998

Firman TK, Landis CR

Structure and electron counting in ternary transition metal hydrides

J AM CHEM SOC 120 (48): 12650-12656 DEC 9 1998

Diaz N, Suarez D, Sordo TL

Theoretical study of the reaction (1)[: CH₂] + CHO + -> CH₃++CO

J PHYS CHEM A 102 (48): 9918-9924 NOV 26 1998

Anders E, Wermann K, Wiedel B, et al.

Syntheses of a novel class of 5/6/5-heterocycles: Convenient routes from aldehydes to bis(1,3,4-thiadiazolo)-1,3,5-triazinium halides

EUR J ORG CHEM (12): 2923-2930 DEC 1998

Barich DH, Nicholas JB, Xu T, et al.

Theoretical and experimental study of the C-13 chemical shift tensors of acetone complexed with Bronsted and Lewis acids

J AM CHEM SOC 120 (47): 12342-12350 DEC 2 1998

Rodriguez JH, Wheeler DE, McCusker JK

Density functional studies of a Heisenberg spin coupled chromium-semiquinone complex and its chromium-catechol analog

J AM CHEM SOC 120 (46): 12051-12068 NOV 25 1998

Ludwig R, Reis O, Winter R, et al.

Quantum cluster equilibrium theory of liquids: Temperature dependence of hydrogen bonding in liquid N-methylacetamide studied by IR spectra

J PHYS CHEM B 102 (46): 9312-9318 NOV 12 1998

Uhl W, Jantschak A, Saak W, et al.

Systematic experimental and quantum chemical investigation into the structures, the stability, and the spectroscopic properties of alkylindium(I) compounds: Tetrameric In-4[C(SiMeRR')(3)](4) versus monomeric InC(SiMeRR')(3) derivatives

ORGANOMETALLICS 17 (23): 5009-5017 NOV 9 1998

Linden A, Beckhaus HD, Verevkin SP, et al.

trans- versus cis-1,3,5,7-tetraoxadecaline: A structural, thermochemical, and computational study

J ORG CHEM 63 (23): 8205-8211 NOV 13 1998

Bettinger HF, Schleyer PV, Schaefer HF

NF5 - Viable or not?

J AM CHEM SOC 120 (44): 11439-11448 NOV 11 1998

Reindl B, Clark T, Schleyer PV

Modern molecular mechanics and ab initio calculations on benzylic and cyclic delocalized cations
J PHYS CHEM A 102 (45): 8953-8963 NOV 5 1998

Gerbaux P, Flammang R, Morkved EH, et al.

Nitrile N-selenide (RC NSe) and isoselenocyanate (RN = C = Se) neutrals and radical cations by selenation of nitriles and isonitriles: Tandem mass spectrometry and ab initio studies
J PHYS CHEM A 102 (45): 9021-9030 NOV 5 1998

Tasso SM, Bruno-Blanch L, Estiu GL

On the origin of the lack of anticonvulsant activity of some valpromide derivatives
INT J QUANTUM CHEM 70 (6): 1127-1136 DEC 20 1998

Beez V, Greiwe P, Pritzkow H, et al.

Transformation of 3,4-bis(isopropylidene)-2,5-dichloro-1,2,5-thiadiborolane into nido-2,4,5-thiadicarbahexaborane(5) derivatives - Formation and computational elucidation of a thiadicarbanonaborane(8) with a ni-9 < IV+IV > configuration
EUR J INORG CHEM (11): 1775-1779 NOV 1998

Wallenborn EU, Haldimann RF, Klarner FG, et al.

Theoretical investigation of the origin of regioselectivity in the formation of methanofullerenes by addition of diazo compounds: A model study
CHEM-EUR J 4 (11): 2258-2265 NOV 1998

Lorenzini ML, Bruno-Blanch L, Estiu GL

Structural and electronic factors associated with the activity in the GABA-A system
THEOCHEM-J MOL STRUC 454 (1): 1-16 NOV 9 1998

Crasto CJ, Stevens ED

Use of electrostatic potentials to study non-bonded intramolecular interactions in 1,8-disubstituted naphthalenes with carbonyl groups as electrophilic substituents
THEOCHEM-J MOL STRUC 454 (1): 51-59 NOV 9 1998

Keating AE, Garcia-Garibay MA, Houk KN

Influence of bystander substituents on the rates of 1,2-H and 1,2-Ph shifts in singlet and triplet carbenes
J PHYS CHEM A 102 (44): 8467-8476 OCT 29 1998

Chrostowska A, Metail V, Pfister-Guillouzo G, et al.

Photoelectron spectra of vinyl- and 1-alkynylgermanes and stannanes
J ORGANOMET CHEM 570 (2): 175-182 NOV 20 1998

Anane H, Jarid A, Boutalib A, et al.

Ab initio molecular orbital study of the substituent effect on phosphine-borane complexes
CHEM PHYS LETT 296 (3-4): 277-282 NOV 6 1998

Castillo R, Moliner V, Andres J, et al.

Theoretical investigation of the abnormal Reimer-Tiemann reaction

J PHYS ORG CHEM 11 (8-9): 670-677 AUG-SEP 1998

Yanez M

Are phosphatetrahedrane and diphosphatetrahedrane phosphorus or carbon bases?

J PHYS ORG CHEM 11 (8-9): 678-683 AUG-SEP 1998

Grigorenko BL, Nemukhin AV, Ozhegova NV

MD-DIM simulations of the (3)Pi(g)(ion-pair)->(3)Pi(u)(valence) red-shifted transitions of Cl-2 in neon matrices

CHEM PHYS LETT 296 (1-2): 84-92 OCT 30 1998

Bosch-Montalva MT, Domingo LR, Jimenez MC, et al.

Ground and excited-state intramolecular interactions in phenol-olefin bichromophoric compounds

J CHEM SOC PERK T 2 (10): 2175-2179 OCT 1998

Karafiloglou P, Launay JP

Electron pair (de)coupling in aniline radical cation and its implications for organic "mixed valence" systems

J PHYS CHEM A 102 (41): 8004-8012 OCT 8 1998

Sakaki S, Mizoe N, Musashi Y, et al.

Is a transition state planar or nonplanar in oxidative additions of C-H, Si-H, C-C, and Si-C sigma-bonds to Pt(PH₃)₂? A theoretical study

J PHYS CHEM A 102 (41): 8027-8036 OCT 8 1998

Hyla-Kryspin I, Koch J, Gleiter R, et al.

Reassessment of the electronic and molecular structure, bonding, and stability of zerovalent nickel acetylene complexes by the density functional method

ORGANOMETALLICS 17 (21): 4724-4733 OCT 12 1998

Hensen K, Stumpf T, Bolte M, et al.

Experimental investigations and ab initio studies on hexacoordinated complexes of dichlorosilane

J AM CHEM SOC 120 (40): 10402-10408 OCT 14 1998

Miklis PC, Ditchfield R, Spencer TA

Carbocation-pi interaction: Computational study of complexation of methyl cation with benzene and comparisons with related systems

J AM CHEM SOC 120 (40): 10482-10489 OCT 14 1998

Chesnut DB

An ab initio nuclear magnetic resonance and atoms-in-molecules study of the PO bond in phosphine oxides

J AM CHEM SOC 120 (40): 10504-10510 OCT 14 1998

Minyaev RM, Minkin VI

Theoretical study of O -> X (S, Se, Te) coordination in organic compounds
CAN J CHEM 76 (6): 776-788 JUN 1998

Riedmiller F, Jockisch A, Schmidbaur H

Synthesis, properties, and structure of poly(silyl)pyridines. The phantom of intramolecular Si-N bonding
ORGANOMETALLICS 17 (20): 4444-4453 SEP 28 1998

Astrand PO, Ruud K, Mikkelsen KV, et al.

Atomic charges of the water molecule and the water dimer
J PHYS CHEM A 102 (39): 7686-7691 SEP 24 1998

Kaupp M

The unusual fluxional structure of tetramethyloxotungsten: Quantum chemical structure predictions for the d(0) and d(1) complexes [MOR4] (M = W, Re; R = H, CH₃)
CHEM-EUR J 4 (10): 2059-2071 OCT 1998

Bera JK, Samuelson AG, Chandrasekhar J

Ab initio study of structures, energetics, and bonding in formally high-oxidation-state copper organometallics
ORGANOMETALLICS 17 (19): 4136-4145 SEP 14 1998

Bach RD, Glukhovtsev MN, Gonzalez C

High-level computational study of the stereoelectronic effects of substituents on alkene epoxidations with peroxyformic acid
J AM CHEM SOC 120 (38): 9902-9910 SEP 30 1998

Herrebout WA, van der Veken BJ

Behavior of boron trifluoride in cryosolutions: A combined ab initio, Monte Carlo, and FTIR investigation
J AM CHEM SOC 120 (38): 9921-9929 SEP 30 1998

Frohn HJ, Klose A, Schroer T, et al.

Structural, chemical, and theoretical evidence for the electrophilicity of the [C₆F₅Xe](+) cation in [C₆F₅Xe][AsF₆]
INORG CHEM 37 (19): 4884-4890 SEP 21 1998

Kim W, Lee HJ, Choi YS, et al.

The nature of rotational barriers of the C-N bond in thioamides and the origin of the nonplanarity for thiourea
J CHEM SOC FARADAY T 94 (18): 2663-2668 SEP 21 1998

Ammal SSC, Venuvanalingam P

Ab initio and DFT investigations of lithium/hydrogen bonded complexes of trimethylamine, dimethyl ether and dimethyl sulfide

J CHEM SOC FARADAY T 94 (18): 2669-2674 SEP 21 1998

Havlas Z, Michl J

Spin-orbit coupling in biradicals. 3. Heavy atom effects in carbenes

COLLECT CZECH CHEM C 63 (9): 1485-1497 SEP 1998

Bazan GC, Oldham WJ, Lachicotte RJ, et al.

Stilbenoid dimers: Dissection of a paracyclophane chromophore

J AM CHEM SOC 120 (36): 9188-9204 SEP 16 1998

Benincori T, Sannicolo F, Trimarco L, et al.

Rate enhancement of 1,3-dipolar cycloaddition of N-methylindole: the singular role of Grignard reagents

J PHYS ORG CHEM 11 (7): 455-466 JUL 1998

Rauwolf C, Mehlhorn A, Fabian J

Binding energies of organic charge-transfer complexes calculated by first-principles methods

COLLECT CZECH CHEM C 63 (8): 1223-1244 AUG 1998

Boyd RJ, Burford N, Macdonald CLB

Ab initio studies of the contrasting butadiene cheletropic and Diels-Alder cycloaddition reactivities observed for "carbenic" phosphorus (phosphenium) and arsenic (arsenium) cations

ORGANOMETALLICS 17 (18): 4014-4029 AUG 31 1998

Mercero JM, Fowler JE, Ugalde JM

Aluminum(III) interactions with the acidic amino acid chains

J PHYS CHEM A 102 (35): 7006-7012 AUG 27 1998

Anane H, Boutalib A, Nebot-Gil I, et al.

Comparative G2(MP2) study of H3NBX3 and H3PBX3 (X = H, F, and Cl) donor-acceptor complexes

J PHYS CHEM A 102 (35): 7070-7073 AUG 27 1998

Fabian WMF, Bakulev VA, Kappe CO

Pericyclic versus pseudopericyclic 1,5-electrocyclization of iminodiazomethanes. An ab initio and density functional theory study

J ORG CHEM 63 (17): 5801-5805 AUG 21 1998

Arrieta A, Lecea B, Cossio FP

Origins of the stereodivergent outcome in the Staudinger reaction between acyl chlorides and imines

J ORG CHEM 63 (17): 5869-5876 AUG 21 1998

Kaupp M

The nonoctahedral structures of d(0), d(1), and d(2) hexamethyl complexes

CHEM-EUR J 4 (9): 1678-1686 SEP 1998

Sambrano JR, de Sousa AR, Queralt JJ, et al.

A theoretical analysis on the intramolecular proton transfer of alpha-alanine in an aqueous medium

CHEM PHYS LETT 294 (1-3): 1-8 SEP 11 1998

Dobado JA, Martinez-Garcia H, Molina JM, et al.

Chemical bonding in hypervalent molecules revised. Application of the Atoms in Molecules Theory to Y-3 X and Y-3 XZ (Y = H or CH₃; X = N, P or As; Z = O or S) compounds

J AM CHEM SOC 120 (33): 8461-8471 AUG 26 1998

Lewis M, Glaser R

Synergism of catalysis and reaction center rehybridization. An ab initio study of the hydrolysis of the parent carbodiimide

J AM CHEM SOC 120 (33): 8541-8542 AUG 26 1998

Almeida AL, Martins JBL, Taft CA, et al.

Ab initio and semiempirical studies of the adsorption and dissociation of water on pure, defective, and doped MgO (001) surfaces

J CHEM PHYS 109 (9): 3671-3685 SEP 1 1998

Summers JS, Roe D, Boyle PD, et al.

Structural studies of a borane-modified phosphate diester linkage: Ab initio calculations on the dimethylboranophosphate anion and the single-crystal X-ray structure of its diisopropylammonium salt

INORG CHEM 37 (17): 4158-4159 AUG 24 1998

Honda Y, Nakatsuji H

Force concept for predicting the geometries of molecules in an external electric field

CHEM PHYS LETT 293 (3-4): 230-238 AUG 28 1998

Chipot C, Angyan JG, Millot C

Statistical analysis of distributed multipoles derived from molecular electrostatic potentials

MOL PHYS 94 (6): 881-895 AUG 20 1998

Katz AK, Glusker JP, Markham GD, et al.

Deprotonation of water in the presence of carboxylate and magnesium ions

J PHYS CHEM B 102 (33): 6342-6350 AUG 13 1998

Leung SSW, Streitwieser A

Theoretical study of structure of alkali metal cyanates and isocyanates and their related ion pair S(N)2 reactions

J COMPUT CHEM 19 (12): 1325-1336 SEP 12 1998

Reindl B, Schleyer PV

Molecular mechanics and ab initio calculations on cyclopentadienyl cations

J COMPUT CHEM 19 (12): 1402-1420 SEP 12 1998

Nash JJ, Waugh T, Morrison H

Electric field facilitated S(N)2 reactions in 7-bromonorbornanes

TETRAHEDRON LETT 39 (36): 6449-6452 SEP 3 1998

Cotton FA, Feng XJ, Timmons DJ

Further study of very close nonbonded Cu-I-Cu-I contacts. Molecular structure of a new compound and density functional theory calculations

INORG CHEM 37 (16): 4066-4069 AUG 10 1998

Vyboishchikov SF, Frenking G

Theoretical studies of organometallic compounds, part 29 - Structure and bonding of low-valent (Fischer-type) and high-valent (Schrock-type) transition metal carbene complexes

CHEM-EUR J 4 (8): 1428-1438 AUG 1998

Vyboishchikov SE, Frenking G

Theoretical studies of organometallic compounds, part 30 - Structure and bonding of low-valent (Fischer-type) and high-valent (Schrock-type) transition metal carbyne complexes

CHEM-EUR J 4 (8): 1439-1448 AUG 1998

Goodman L, Gu HB

Flexing analysis of steric exchange repulsion accompanying ethane internal rotation

J CHEM PHYS 109 (1): 72-78 JUL 1 1998

Gonzalez L, Mo O, Yanez M

High level ab initio and density functional theory studies on methanol-water dimers and cyclic methanol(water)(2) trimer

J CHEM PHYS 109 (1): 139-150 JUL 1 1998

Weinhold F

Quantum cluster equilibrium theory of liquids: General theory and computer implementation

J CHEM PHYS 109 (2): 367-372 JUL 8 1998

Weinhold F

Quantum cluster equilibrium theory of liquids: Illustrative application to water

J CHEM PHYS 109 (2): 373-384 JUL 8 1998

Chen GH, Su ZM, Shen ZW, et al.

Effective Hamiltonians of polymethineimine, polyazine and polyazoethene: A density matrix variation approach

J CHEM PHYS 109 (6): 2565-2571 AUG 8 1998

Moskovskii AA, Nemukhin AV

Simulation of properties of small metallic clusters containing silver atoms

VESTN MOSK U KHIM+ 39 (2): 83-86 MAR-APR 1998

Jansen G, Schubart M, Findeis B, et al.

Unsupported Ti-Co and Zr-Co bonds in heterobimetallic complexes: A theoretical description of metal-metal bond polarity

J AM CHEM SOC 120 (29): 7239-7251 JUL 29 1998

Mitzel NW, Losehand U

beta-donor interactions of exceptional strength in N,N-dimethylhydroxylaminochlorosilane, ClH₂SiONMe₂

J AM CHEM SOC 120 (29): 7320-7327 JUL 29 1998

Mo YR, Peyerimhoff SD

Theoretical analysis of electronic delocalization

J CHEM PHYS 109 (5): 1687-1697 AUG 1 1998

Tietze LF, Schuffenhauer A

Synthesis of tetrahydro- and dihydropyridines by hetero Diels-Alder reactions of enantiopure alpha,beta-unsaturated sulfinimines

EUR J ORG CHEM (8): 1629-1637 AUG 1998

Wolfgramm R, Muller T, Klingebiel U

Irreversible rearrangement of silyl groups between oxygen and nitrogen in tris(silyl)hydroxylamines

ORGANOMETALLICS 17 (15): 3222-3226 JUL 20 1998

Remko M

Thermodynamics of dihydrogen bonds (A-H center dot center dot center dot H-B)

MOL PHYS 94 (5): 839-842 AUG 10 1998

Jemmis ED, Giju KT

Novel mechanism for interesting C-C coupling and cleavage reactions and control of thermodynamic stability involving [L2M(mu-CCR)(2)ML2] and [L2M(mu-RCC-CCR)ML2] complexes (M=Ti, Zr, L=eta(5)-C5H5, Cl, H, R=H, F, CN): A theoretical study

J AM CHEM SOC 120 (28): 6952-6964 JUL 22 1998

Bogel H, Tobisch S, Nowak T

DFT investigations of the structure and bonding between transition metals and olefins

INT J QUANTUM CHEM 69 (3): 387-396 AUG 15 1998

Widauer C, Chen GS, Grutzmacher H

Superelectrophiles stabilized by phosphorus, arsenic, and antimony: Structures and potential energy surface analysis of PCH₅²⁺, AsCH₅²⁺, and SbCH₅²⁺
CHEM-EUR J 4 (7): 1154-1160 JUL 1998

Langenaeker W, De Proft F, Geerlings P

Ab initio and density functional theory study of the geometry and reactivity of benzyne, 3-fluorobenzyne, 4-fluorobenzyne, and 4,5-didehydropyrimidine
J PHYS CHEM A 102 (29): 5944-5950 JUL 16 1998

Patil V, Sastry M

An extended scheme for calculation of atomic charges by the modified Sanderson method and application to some polycyclic organic molecules
J ELECTRON SPECTROSC 94 (1-2): 17-22 JUN 1998

Starikov EB

Three-dimensional crystal-orbital calculations on crystallohydrates of mononucleotide salts. III. Valence-split basis sets
INT J QUANTUM CHEM 69 (2): 209-217 AUG 5 1998

Schleyer PV, Najafian K

Stability and three-dimensional aromaticity of closo-monocarbaborane anions, CBn-1Hn-, and closo-dicarboranes, C2Bn-2Hn
INORG CHEM 37 (14): 3454-3470 JUL 13 1998

Mitzel NW, Oberhammer H

A steeply pyramidal silylamine: N,O-dimethyl-N-silylhydroxylamine
INORG CHEM 37 (14): 3593-3598 JUL 13 1998

Dransfeld A, Schleyer PV

Analysis of substituent effects on P-31 NMR chemical shifts: PX2Y molecules
MAGN RESON CHEM 36: S29-S43 Sp. Iss. SI JUN 1998

Lange H, Gleiter R, Fritzsche G

Linear and angular interactions in distellenes: Photoelectron spectra and ab initio SCFMO studies
J AM CHEM SOC 120 (26): 6563-6568 JUL 8 1998

Havlas Z, Downing JW, Michl J

Spin-orbit coupling in biradicals. 2. Ab initio methodology and application to 1,1-biradicals: Carbene and silylene
J PHYS CHEM A 102 (28): 5681-5692 JUL 9 1998

Simperler A, Lampert H, Mikenda W

Intramolecular interactions in ortho-substituted phenols: survey of DFT-B3LYP calculated data
J MOL STRUCT 448 (2-3): 191-199 JUL 20 1998

Grigorenko BL, Nemukhin AV, Apkarian VA

Towards quantitative diatomics-in-molecules model for the water molecule
CHEM PHYS 232 (3): 321-328 JUL 1 1998

Mohlen M, Neumuller B, Harms K, et al.

Tri(phosphorano)borazinium ions

Z ANORG ALLG CHEM 624 (7): 1105-1110 JUL 1998

Impronta R, Santoro F, Barbier C, et al.

On the geometry of 3-amino-sydnones

THEOCHEM-J MOL STRUC 433: 291-299 JUL 13 1998

Dem'yanov PI, Myshakin EM, Petrosyan VS

Structures and hardness of ethyl halides and ethyl tosylate

RUSS CHEM B+ 47 (4): 587-591 APR 1998

Krokidis X, Goncalves V, Savin A

How malonaldehyde bonds change during proton transfer

J PHYS CHEM A 102 (26): 5065-5073 JUN 25 1998

Wenthold PG, Squires RR

Gas-phase acidities of o-, m- and p-dehydrobenzoic acid radicals. Determination of the substituent constants for a phenyl radical site

INT J MASS SPECTROM 175 (1-2): 215-224 MAY 1998

Losehand U, Mitzel NW

Hydroxylaminosilanes: Compounds with beta-donor-acceptor bonds

INORG CHEM 37 (13): 3175-3182 JUN 29 1998

Schoeller WW, Tubbesing U

The electronic structure of the tris(diaminophosphanyl)carbenium ion. A quantum chemical investigation

INORG CHEM 37 (13): 3183-3185 JUN 29 1998

Power TD, Sebastian JF

Relative anion stabilities and transition state energies regarding vinylic vs allylic deprotonation of cyclic vinyl ethers by organolithium reagents: An ab initio study

TETRAHEDRON 54 (29): 8371-8392 JUL 16 1998

Levy JB

Coulombic basis for relative hydrogen-bonding basicities and conformational energies of tertiary amine oxides and phosphine oxides

STRUCT CHEM 9 (3): 179-185 JUN 1998

Wang LS, Fettinger JC, Poli R, et al.

Cyclopentadienylmolybdenum(II) and -(III) complexes containing diene and allyl ligands. 3. Reactivity studies of the bis(butadiene) complex [CpMo(s-cis-supine-eta-C4H6)(s-trans-eta-C4H6)][BF4]

ORGANOMETALLICS 17 (13): 2692-2701 JUN 22 1998

Bettinger HF, Schreiner PR, Schaefer HF, et al.

Rearrangements on the C6H6 potential energy surface and the topomerization of benzene
J AM CHEM SOC 120 (23): 5741-5750 JUN 17 1998

Schoeller WW, Sundermann A

Ring structure formation in transition-metal nitrido chlorides by donor-acceptor formation
INORG CHEM 37 (12): 3034-3039 JUN 15 1998

Mo YR, Jiao HJ, Ling ZY, et al.

Application of the orbital deletion procedure (ODP) to planar carbocations
CHEM PHYS LETT 289 (3-4): 383-390 JUN 12 1998

Carballeira L, Perez-Juste I

Ab initio study of the pseudorotation and conformational stability of pyrrolidine
J CHEM SOC PERK T 2 (6): 1339-1345 JUN 1998

Senyurt N, Aviyente V

Computational study of the anomeric effect in 2-[(4-substituted phenyl)seleno]-1,3-dithianes
J CHEM SOC PERK T 2 (6): 1463-1470 JUN 1998

Alcamí M, Mo O, Yanez M

G2 ab initio calculations on three-membered rings: Role of hydrogen atoms
J COMPUT CHEM 19 (9): 1072-1086 JUL 15 1998

Sundberg MR, Laitalainen T, Bergman J, et al.

Plasticity of Cl-Te-Cl fragments. Synthesis, single-crystal X-ray, and NBO study of (1-thia-2-tellura-1-phenyl-4-chloro)cyclopentane 2,2,2-trichloride
INORG CHEM 37 (11): 2786-2791 JUN 1 1998

Erzberger JP, Barsky D, Scharer OD, et al.

Elements in abasic site recognition by the major human and Escherichia coli apurinic/apyrimidinic endonucleases
NUCLEIC ACIDS RES 26 (11): 2771-2778 JUN 1 1998

Alikhani ME

Theoretical study of ketenic carbanionic species M-C2O2 (M = Li or Al)
THEOCHEM-J MOL STRUC 432 (3): 263-268 JUN 15 1998

Bachrach SM, Gailbreath BD

Ring strain energies of tetraphosphpha- and tetraarsacubanes
TETRAHEDRON LETT 39 (24): 4211-4214 JUN 11 1998

Alder RW, Ellis DD, Gleiter R, et al.

Bridgehead diphosphines in the bicyclo[3.3.3]undecane and bicyclo[4.4.4]tetradecane series: synthesis, structure and properties
J CHEM SOC PERK T 1 (10): 1657-1668 MAY 21 1998

Craciun L, Jackson JE

Correlation of C-13-H-1 coupling constants with electronic structure in Bi- and polycycloalkanes: A PM3 and HF/6-31G analysis*
J PHYS CHEM A 102 (21): 3738-3745 MAY 21 1998

Rablen PR, Lockman JW, Jorgensen WL

Ab initio study of hydrogen-bonded complexes of small organic molecules with water
J PHYS CHEM A 102 (21): 3782-3797 MAY 21 1998

Boche G, Bosold F, Hermann H, et al.

Crystal structure of [2-ZnCl-benzoxazole center dot 2THF](2): The remarkable difference between 2-ZnHal- and 2-Li-oxazoles
CHEM-EUR J 4 (5): 814-817 MAY 1998

Safont VS, Andres J, Domingo LR

A theoretical study on the decomposition mechanism of beta-propiolactone and beta-butyrolactone
CHEM PHYS LETT 288 (2-4): 261-269 MAY 22 1998

Uzan O, Gozin Y, Martin JML

Modeling stabilization of Si=O bonds by Pd/Pt complexes using density functional theory
CHEM PHYS LETT 288 (2-4): 356-362 MAY 22 1998

Stegmann R, Frenking G

Mechanism of the acetylene-vinylidene rearrangement in the coordination sphere of a transition metal
ORGANOMETALLICS 17 (10): 2089-2095 MAY 11 1998

Glukhovtsev MN, Bach RD, Nagel CJ

A high-level computational study on the thermochemistry and thermal decomposition of sulfur mustard (2,2 '-dichloroethyl sulfide): A chemical warfare agent
J PHYS CHEM A 102 (19): 3438-3446 MAY 7 1998

Borosky GL

Ab initio calculations of [1,2]-shifts in carbanions. Theoretical predictions of certain facile rearrangements
J ORG CHEM 63 (10): 3337-3345 MAY 15 1998

Lange H, Schafer W, Gleiter R, et al.

pi-pi-interactions in pentacyclo-[8.2.1.1.(2,5)1.(4,7)1(8,11)]hexadeca-1,7-diene
J ORG CHEM 63 (10): 3478-3480 MAY 15 1998

Taddei F

The rotational barriers of groups containing silicon in substituted benzenes. A theoretical approach to the silicon substituent effect
J CHEM INF COMP SCI 38 (3): 476-482 MAY-JUN 1998

Anane H, Boutalib A, Nebot-Gil I, et al.

G2(MP2) 2mrr01 study of the substituent effects in the H₃BXH_nMe_{3-n} (X = N, P; n = 0-3) donor-acceptor complexes
CHEM PHYS LETT 287 (5-6): 575-578 MAY 8 1998

Sambrano JR, Andres J, Beltran A, et al.

Theoretical study of the structure and stability of Nb_xO_y, and Nb_xO_{y+} (x = 1-3; y = 2-5, 7, 8) clusters
CHEM PHYS LETT 287 (5-6): 620-626 MAY 8 1998

Subramanian G, Schleyer PV, Dransfeld A

Skeletal bonding in closo-1,5-X₂B₃Y₃ (X = N, CH, P, SiH; Y = NH₂, CH₃, H) cages is dictated by boron substituents
ORGANOMETALLICS 17 (9): 1634-1636 APR 27 1998

Szabo KJ

Benzoquinone-induced stereoselective chloride migration in (eta(3)-allyl)palladium complexes. A theoretical mechanistic study complemented by experimental verification
ORGANOMETALLICS 17 (9): 1677-1686 APR 27 1998

Hayashi S, Kato S

Theoretical study of intramolecular long-range electron transfer reactions between porphyrin and benzoquinone: Ab initio calculations of electronic coupling element
J PHYS CHEM A 102 (17): 2878-2887 APR 23 1998

Yamasaki T, Goddard WA

Correlation analysis of chemical bonds
J PHYS CHEM A 102 (17): 2919-2933 APR 23 1998

Eisfeld W, Regitz M

Ab initio theoretical investigation of the formation of phosphirenium ions from 1-halo-1H-phosphrenes
J ORG CHEM 63 (9): 2814-2823 MAY 1 1998

Chen EH, Chang TC

Photoelectron spectra, penning ionization electron spectra, and character of canonical molecular orbitals

J COMPUT CHEM 19 (8): 882-892 JUN 1998

Calvo-Losada S, Quirante JJ, Suarez D, et al.

Rearrangement of azirine intermediates to nitriles: Theoretical study of cleavage of 3,4-dihydro-1aH-azirine[2,3-c]pyrrol-2-one to cyanoketene-formaldimine complex

J COMPUT CHEM 19 (8): 912-922 JUN 1998

Carballeira L, Perez-Juste I

Influence of calculation level and effect of methylation on axial/equatorial equilibria in piperidines

J COMPUT CHEM 19 (8): 961-976 JUN 1998

Jemmis ED, Kiran B

Aromaticity in X₃Y₃H₆ (X = B, Al, Ga; Y = N, P, As), X(3)Z(3)H(3) (Z = O, S, Se), and phosphazenes. Theoretical study of the structures, energetics, and magnetic properties

INORG CHEM 37 (9): 2110-2116 MAY 4 1998

Cho SG, Cheun YG, Park BS

A computational study of imidazole, 4-nitroimidazole, 5-nitroimidazole and 4,5-dinitroimidazole

THEOCHEM-J MOL STRUC 432 (1): 41-53 MAY 2 1998

Novak P, Sekusak S, Vikić-Topic D, et al.

Hydrogen bonding interactions in the 2,2'-bipyridine-pyromellitic acid complex - IR, nuclear magnetic resonance and theoretical studies

J CHEM SOC FARADAY T 94 (8): 1051-1056 APR 21 1998

Staley SW, Grimm RA, Sablosky RA

Influence of carbon group substituents on bond shift and electrochemical reduction of cyclooctatetraene

J AM CHEM SOC 120 (15): 3671-3674 APR 22 1998

Queralt JJ, Safont VS, Moliner V, et al.

A theoretical study of the unimolecular decomposition of N-chloro-alpha-amino acids in aqueous solution

CHEM PHYS 229 (2-3): 125-136 APR 1 1998

Fabian J, Herzog K

Post-Hartree-Fock MP2 and density functional theory derived structure and vibrations of 1,2-dithiole-2-thione and 1,2-dithiole-3-one

VIB SPECTROSC 16 (1): 77-83 MAR 1998

Bean GP

Application of natural bond orbital analysis and natural resonance theory to delocalization and

aromaticity in five-membered heteroaromatic compounds

J ORG CHEM 63 (8): 2497-2506 APR 17 1998

Monaco G

On the definition of the atomic charge. Relationship between C-13 NMR chemical shifts, dipole moments, and charges in saturated hydrocarbons

INT J QUANTUM CHEM 68 (3): 201-210 JUN 5 1998

Chen EH, Chang TC

Orbital interaction and the photoelectron spectroscopy of N-2, CO, HCN and C2H2

THEOCHEM-J MOL STRUC 429: 153-159 MAR 30 1998

Li JQ, Zhang YF, Huang ZX, et al.

An ab initio study on the chemical bond and the mechanism of cluster formation of the tungsten-sulfur clusters

THEOCHEM-J MOL STRUC 429: 237-246 MAR 30 1998

Grunenberg J, Herges R

Molecular modeling: Methods and programs

NACHR CHEM TECH LAB 46 (4): A28-+ APR 1998

Bachrach SM, Gailbreath BD

Remarkable deprotonation energies of tetraphosphacubanes

J AM CHEM SOC 120 (14): 3528-3529 APR 15 1998

Mebel AM, Schleyer PV, Najafian K, et al.

Structure and nonrigidity of B9H92- and B9H10-. Comparisons of BnHn2- and BnHn+1- systems

INORG CHEM 37 (8): 1693-1703 APR 20 1998

Wagener T, Frenking G

Theoretical study of transition metal compounds with molybdenum- and tungsten-phosphorus triple bonds

INORG CHEM 37 (8): 1805-1811 APR 20 1998

Shimoni-Livny L, Glusker JP, Bock CW

Lone pair functionality in divalent lead compounds

INORG CHEM 37 (8): 1853-1867 APR 20 1998

Borrmann H, Campbell J, Dixon DA, et al.

Tl(2)Ch(2)(2-) (Ch = Se and/or Te) anions: X-ray crystal structures and Raman spectra of (2,2,2-crypt-K+)(2)Tl2Se22- and (2,2,2-crypt-K+)(2)Tl2Te22- and solution Se-77, Tl-203, and Tl-205 NMR spectroscopic and theoretical studies of Tl(2)Ch(2)(2-), In2Se22-, ...

INORG CHEM 37 (8): 1929-1943 APR 20 1998

Olah GA, Rasul G

Structures and energies of hexa-, hepta-, and octacoordinate alonium ions AlH₆⁺, AlH₇²⁺, and AlH₈³⁺ and related AlH₄⁺, AlH₅²⁺, and AlH₆³⁺ ions

INORG CHEM 37 (8): 2047-2050 APR 20 1998

Kallies B, Mitzner R

Structural properties of protonated acyl derivatives as studied by quantum mechanics
THEOCHEM-J MOL STRUC 428: 267-282 MAR 23 1998

Benassi R, Taddei F

A theoretical study of the effects governing the internal rotation process in allyl derivatives
THEOCHEM-J MOL STRUC 430: 113-136 APR 14 1998

Kobayashi K, Sato S, Horn E, et al.

First isolation and characterization of sulfenium cation salts stabilized by the coordination of two nitrogen atoms
TETRAHEDRON LETT 39 (17): 2593-2596 APR 23 1998

Hess RA, Hengge AC, Cleland WW

Isotope effects on enzyme-catalyzed acyl transfer from p-nitrophenyl acetate: Concerted mechanisms and increased hyperconjugation in the transition state
J AM CHEM SOC 120 (12): 2703-2709 APR 1 1998

Poli R, Wang LS

Cyclopentadienylmolybdenum(II) and -(III) complexes containing diene and allyl ligands. 2. Comparative reactivity of the isomeric complexes CpMo(eta-C₃H₅)(eta-C₄H₆) with either supine or prone allyl and either s-cis (Supine) or s-trans butadiene ligands toward . . .
J AM CHEM SOC 120 (12): 2831-2842 APR 1 1998

Wiberg KB, Marquez M

Effect of fluorine substitution on the energies of small ring compounds
J AM CHEM SOC 120 (12): 2932-2938 APR 1 1998

Tomaszewski R, Hyla-Kryspin I, Mayne CL, et al.

Shorter nonbonded than bonded contacts or nonclassical metal to saturated carbon atom interactions?
J AM CHEM SOC 120 (12): 2959-2960 APR 1 1998

Glendening ED, Weinhold F

Natural resonance theory: I. General formalism
J COMPUT CHEM 19 (6): 593-609 APR 30 1998

Glendening ED, Weinhold F

Natural Resonance Theory: II. Natural bond order and valency
J COMPUT CHEM 19 (6): 610-627 APR 30 1998

Glendening ED, Badenhoop JK, Weinhold F

Natural resonance theory: III. Chemical applications

J COMPUT CHEM 19 (6): 628-646 APR 30 1998

Rayon VM, Sordo JA

On the nature of the interaction in donor-acceptor van der Waals complexes: BH₃ center dot center dot center dot CO, BF₃ center dot center dot center dot CO, BH₃ center dot center dot center dot center dot NH₃ and BF₃ center dot center dot center dot center dot NH₃

THEOCHEM-J MOL STRUC 426: 171-179 Sp. Iss. SI MAR 9 1998

Hopfl H, Galvan M, Farfan N, et al.

Ab initio study of substituted 2-aminoethylborinates

THEOCHEM-J MOL STRUC 427: 1-13 MAR 16 1998

Jolibois F, D'Ham C, Grand A, et al.

Cis-5-hydroperoxy-6-hydroxy-5,6-dihydrothymine: crystal structure and theoretical investigations of the electronic properties by DFT

THEOCHEM-J MOL STRUC 427: 143-155 MAR 16 1998

Maslen PE, Ochsenfeld C, White CA, et al.

Locality and sparsity of ab initio one-particle density matrices and localized orbitals

J PHYS CHEM A 102 (12): 2215-2222 MAR 19 1998

Tobisch S, Bogel H, Taube R

Mechanistic studies of the 1,4-polymerization of butadiene according to the pi-allyl-insertion mechanism. 2. Density functional study of the C-C bond formation reaction in gationic and neutral (eta(3)-crotyl)(eta(2)-/eta(4)-butadiene)nickel(II) complexes [Ni(C₄H₇)(C₄H₆)](+), . . .

ORGANOMETALLICS 17 (6): 1177-1196 MAR 16 1998

Musashi Y, Sakaki S

Insertion of carbon dioxide into a rhodium(III)-hydride bond: a theoretical study

J CHEM SOC DALTON (4): 577-583 FEB 21 1998

Fleischer H, Brain PT, Rankin DWH, et al.

Gas-phase molecular structures of bis(chloromethylsilyl)amine and

bis(chloromethylsilyl)methylamine by electron diffraction and ab initio calculations; experimental support for n(N)-sigma(Si-Cl) hyperconjugation*

J CHEM SOC DALTON (4): 593-600 FEB 21 1998

Garcia A, Mercero JM, Fowler JE, et al.

Molecular and electronic structures of (TiXH₆)(0/-), X = B, Al, Ga, compounds

J PHYS CHEM A 102 (11): 2055-2064 MAR 12 1998

Zhang SZ, Sato S, Horn E, et al.

Exclusive cis-1,4-addition reaction in the bromination of 2,5-bis(trimethylsilyl)thiophene

monooxide

HETEROCYCLES 48 (2): 227-234 FEB 1 1998

Hubler K, Becker G

Alkylidyne phosphines and arsines. III. [(dme)Li](3)As-7 - Synthesis and constitution of a compound with nortricyclane structure

Z ANORG ALLG CHEM 624 (3): 483-496 MAR 1998

Harcourt RD, Klapotke TM, Schulz A, et al.

On the singlet diradical character of S₂N₂

J PHYS CHEM A 102 (10): 1850-1853 MAR 5 1998

Ommary MA, Patterson HH

Temperature-dependent photoluminescence properties of Tl[Ag(CN)(2)]: Formation of luminescent metal-metal-bonded inorganic exciplexes in the solid state

INORG CHEM 37 (5): 1060-1066 MAR 9 1998

Sundermann A, Reiher M, Schoeller WW

Isoelectronic Arduengo-type carbene analogues with the Group IIIa elements boron, aluminum, gallium, and indium

EUR J INORG CHEM (3): 305-310 MAR 1998

Cioslowski J, Liashenko A

Atomic orbitals in molecules

J CHEM PHYS 108 (11): 4405-4412 MAR 15 1998

Grigorenko BL, Nemukhin AV, Apkarian VA

Hydrogen bonding described through diatomics-in-ionic-systems: The HF dimer

J CHEM PHYS 108 (11): 4413-4425 MAR 15 1998

Landis CR, Firman TK, Root DM, et al.

A valence bond perspective on the molecular shapes of simple metal alkyls and hydrides

J AM CHEM SOC 120 (8): 1842-1854 MAR 4 1998

Sekusak S, Liedl KR, Sabljic A

Reactivity and regioselectivity of hydroxyl radical addition to halogenated ethenes

J PHYS CHEM A 102 (9): 1583-1594 FEB 26 1998

Grage MML, Keszthelyi T, Offersgaard JF, et al.

Bithiophene radical cation: resonance Raman spectroscopy and molecular orbital calculations

CHEM PHYS LETT 282 (2): 171-175 JAN 9 1998

Ludwig R, Weinhold F, Farrar TC

Quantum cluster equilibrium theory of liquids part I: Molecular clusters and thermodynamics of liquid ammonia

BER BUNSEN PHYS CHEM 102 (2): 197-204 FEB 1998

Leibold C, Oberhammer H

Gas-phase structures and conformational properties of tert-butyl vinyl ether and (Z)-methyl 1-propenyl ether

J AM CHEM SOC 120 (7): 1533-1537 FEB 25 1998

Kaupp M, Malkina OL

Density functional analysis of C-13 and H-1 chemical shifts and bonding in mercurimethanes and organomercury hydrides: The role of scalar relativistic, spin-orbit, and substituent effects

J CHEM PHYS 108 (9): 3648-3659 MAR 1 1998

Lewars E

Pyramidane: an ab initio study of the C₅H₄ potential energy surface

THEOCHEM-J MOL STRUC 423 (3): 173-188 FEB 2 1998

Gridnev ID, Tok OL, Gridneva NA, et al.

Synthesis and dynamic properties of cycloheptatrienyl(dipropyl)borane. Equilibrium with 7-dipropylborylnorcaradiene

J AM CHEM SOC 120 (5): 1034-1043 FEB 11 1998

Bergholdt AB, Kobayashi K, Horn E, et al.

Crystal structures and ab initio calculations of new dicationic telluranes ($\lambda(4)$ -tellane), [10-Te-4(C₂X₂)](2+) (X = S, Se): Positively charged hypervalent bonding systems

J AM CHEM SOC 120 (6): 1230-1236 FEB 18 1998

Fischer RA, Schulte MM, Weiss J, et al.

Transition metal coordinated Al(X)L-2 and Ga(X)L-2 fragments

J AM CHEM SOC 120 (6): 1237-1248 FEB 18 1998

Hiraoka K, Katsuragawa J, Minamitsu A, et al.

Anomalous change of bond energies in the cluster ion N₂H+(H-2)(n)

J PHYS CHEM A 102 (7): 1214-1218 FEB 12 1998

Sigfridsson E, Ryde U

Comparison of methods for deriving atomic charges from the electrostatic potential and moments

J COMPUT CHEM 19 (4): 377-395 MAR 1998

Sheehan SM, Padwa A, Snyder JP

Dirhodium(II) tetracarboxylate carbenoids as catalytic intermediates

TETRAHEDRON LETT 39 (9): 949-952 FEB 26 1998

Jonas V, Thiel W

Density functional study of the vibrational spectra of octahedral transition-metal hexacarbonyls: Neutral molecules (M = Cr, Mo, W) and isoelectronic ions (M = V, Nb, Ta; Mn, Re; Fe, Ru, Os;

Co, Rh, Ir; Pt; Au)

ORGANOMETALLICS 17 (3): 353-360 FEB 2 1998

Bach RD, Glukhovtsev MN, Canepa C

Oxidation of alkenes, sulfides, amines, and phosphines with peroxynitrous acid: Comparison with other oxidants such as peroxyformic acid and dimethyldioxirane

J AM CHEM SOC 120 (4): 775-783 FEB 4 1998

Buhl M

Correlation between V-51 NMR chemical shift and reactivity of oxovanadium(V) catalysts for ethylene polymerization

ANGEW CHEM INT EDIT 37 (1-2): 142-144 FEB 2 1998

Han YK, Lee YS, Lee SY, et al.

Ab initio study of fluorocyclobutenes: an attempt to resolve the difference between microwave spectroscopy and electron diffraction geometries of hexafluorocyclobutene

THEOCHEM-J MOL STRUC 422: 25-33 JAN 12 1998

Remko M, Liedl KR, Rode BM

Structure, reaction enthalpies, entropies, and free energies of cation-molecule complexes. A theoretical study by means of the ab initio complete basis set CBS-Q method

J PHYS CHEM A 102 (4): 771-777 JAN 22 1998

Cotton FA, Feng XJ

Remarks on the gallium to iron bond in an Ar^{}GaFe(CO)(4) molecule*

ORGANOMETALLICS 17 (2): 128-130 JAN 19 1998

Harcourt RD, Klapotke TM, White PS

The cations [ICNI](+) and [H₃N-NH₃]⁽²⁺⁾ - natural bond orbital analysis and some valence bond considerations

INORG CHIM ACTA 269 (1): 1-6 MAR 3 1998

Lukowczyk J, Engler C

Quantumchemical ab initio investigations of the first step of the electrochemical hydrogen reaction on GaAs(111)A: From the solvated hydronium ion to a hydrogen chemisorption state

Z PHYS CHEM 203: 159-182 Part 1-2 1998

Tepper BJ, Yu CH, Miller DM, et al.

Molecular dynamics simulations of sorption of organic compounds at the clay mineral aqueous solution interface

J COMPUT CHEM 19 (2): 144-153 JAN 30 1998

[Bibliography Home](#)

[NBO Home](#)